

The Effects of Air Pollution on Respiratory Problems: A Literature Review

Hari Krismanuel^{1*}, Nany Hairunisa²

¹Department of Surgery, Faculty of Medicine, Universitas Trisakti, Jakarta, Indonesia

²Department of Occupational Medicine, Faculty of Medicine, Universitas Trisakti, Jakarta, Indonesia

(Correspondence author email, hari_krismanuel@trisakti.ac.id)

ABSTRACT

As the global prevalence of air pollution continues to rise, understanding its intricate impact on human health, particularly respiratory well-being, becomes imperative. The research objectives of the article is to explore and establish clear connections between air pollution and respiratory health. Methods: A comprehensive search of peer-reviewed literature was conducted using databases such as PubMed, Web of Science, and Google Scholar. Articles published between 2015 and 2023 were included, with a focus on epidemiological studies, experimental research, and reviews that explored the impact of air pollution on respiratory problems. The result is this review synthesizes the established connections between these pollutants and a range of respiratory problems. Extensive evidence showcases how exposure to elevated pollutant levels escalates the risk of respiratory maladies, encompassing aggravated asthma, exacerbated chronic obstructive pulmonary disease (COPD) symptoms, compromised lung function, heightened susceptibility to respiratory infections, elevated lung cancer risk, and potentiated allergic responses. This review also underscores the heightened vulnerability of certain demographics, such as prenatal age, children, the elderly, individuals with preexisting respiratory conditions, low socioeconomic groups, occupational groups, outdoor workers, and athletes, immune-compromised individuals, and genetic susceptibility to these detrimental effects. The underlying mechanisms orchestrating the impact of air pollution on respiratory health involve intricate interplays of oxidative stress, inflammation, and tissue damage within the respiratory system. In conclusion: The study advocates for urgent and targeted strategies to mitigate the adverse impact of air pollution on respiratory health.

Keywords: Air Pollution, Allergies, COPD, Lung Cancer, Respiratory Infections.

<https://doi.org/10.33860/jik.v18i1.3151>



© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

INTRODUCTION

The air we breathe, once a symbol of purity, now carries an insidious threat that transcends geographic boundaries and infiltrates the very essence of human well-being. Air pollution, a global health threat, contributes significantly to millions of annual human deaths, particularly through its association with delayed onset respiratory

diseases in both children and adults. In an era marked by unprecedented industrialization and urbanization, the consequences of air pollution have manifested with alarming clarity, particularly in the realm of respiratory health^{1,2,3,4,5}.

Air pollution, a complex amalgamation of pollutants emanating from vehicular emissions, industrial processes, and urban activities, has woven a silent but potent

narrative of harm. Its impact on the respiratory system is both pervasive and profound, affecting individuals across age groups and demographics^{1,2,3,4,5}.

As we navigate this intricate landscape, it becomes evident that the consequences extend far beyond the visible haze that obscures skylines. Respiratory problems, once sporadic, have assumed the shape of a burgeoning public health crisis. Whether in the delicate stages of fetal development, the formative years of childhood, or amidst the challenges of chronic respiratory conditions, the effects of inhaling polluted air echo across the stages of human life^{1,2,3,4,5}.

This introduction sets the stage for a focused exploration into the intricate mechanisms through which air pollution insinuates itself into the respiratory system, leaving a trail of health implications. Beyond its visible manifestations, air pollution's role in exacerbating respiratory diseases and compromising overall lung health warrants a closer examination, pointing towards the urgent need for mitigation strategies and a collective commitment to breathe life back into the air we share^{1,2,3,4,5}.

The intersection of air quality and human health has long been a subject of scientific inquiry. Among the manifold health ramifications of air pollution, the intricate ties between air quality and respiratory problems stand as a paramount concern. Extensive research has underscored the multifaceted impacts of air pollutants on the respiratory system, ranging from minor irritations to severe and chronic conditions^{1,2,3,4,5}.

This review aims to distill the wealth of knowledge surrounding the effects of air pollution on respiratory health, focusing on the established links between various pollutants and a spectrum of respiratory maladies^{1,2,3,4,5}.

METHODS

A comprehensive search of peer-reviewed literature was conducted using databases such as PubMed, Web of Science, and Google Scholar. Articles published between 2015 and 2023 were included, with a focus on epidemiological studies, experimental research, and reviews that explored the impact of air

pollution on respiratory problems.

RESULTS AND DISCUSSIONS

Air Pollutants

Due to soil, air, and water pollution, human activity has a negative impact on the ecosystem. The industrial revolution brought about the generation of massive amounts of airborne pollutants that are damaging to human health, even if it was also a major achievement in terms of technology, society, and the supply of numerous services. Without a doubt, environmental contamination on a worldwide scale is regarded as a multifaceted international public health concern¹.

Air pollution is contamination of the outdoor or indoor environment by any chemical, physical or biological agent that modifies the natural characteristics of the atmosphere. Household combustion devices, motor vehicles, industrial facilities and forest fires are common sources of air pollution^{2,3}. Outdoor air pollutants are either derived from human activities, such as industrial emissions, road traffic, residential heating, shipping, air traffic, construction, agricultural activities, war and fire accidents, or from natural hazards, such as earthquake, tsunami, volcanic eruption, spontaneous forest fires, and extreme temperature. Indoor air pollutants are generally released from smoking, building materials, air conditioning, house cleaning or air refreshing products, heating, lighting, and wood, fuel, or coal usage in cooking⁴.

Pollutants of major public health concern include particulate matter, ozone, nitrogen dioxide, sulfur dioxide, and carbon monoxide are prominent constituents of the complex mixture of air pollutants². Each of these pollutants has distinct properties, sources, and mechanisms of impact on the respiratory system. Particulate matter, categorized by size, infiltrates deep into lung tissues, while ozone and nitrogen dioxide irritate airways and instigate inflammatory responses. Sulfur dioxide and carbon monoxide, originating from industrial processes and vehicle emissions, respectively, also exert significant effects on respiratory health. These pollutants collectively impose a substantial burden on public health by contributing to a range of respiratory problems^{1,2,3,4,5}.

Factors contributing to the severity or level of air pollution

The severity or level of air pollution has significant implications for respiratory health and overall human health. Higher levels of air pollution are associated with increased risks of respiratory problems and other health issues^{6,7,8,9,10,11,12,13}.

Here's a summarized overview of factors that play a role in increasing the severity or level of air pollution:

Outdoor Air Pollution

Many factors can increase outdoor air pollution, including Emissions from Combustion Sources (Industrial activities and transportation contribute to pollutants through the burning of fossil fuels), Agricultural Practices (The use of pesticides, fertilizers, and agricultural activities can release pollutants into the air), Waste Management (Landfills and open burning of waste materials release pollutants), Deforestation and Land Use Changes (Forest fires and changes in land use contribute to air pollution), Energy Production (Power plants burning fossil fuels release pollutants like sulfur dioxide and nitrogen oxides), Residential Heating and Cooking (Solid fuel combustion in households contributes to indoor and outdoor air pollution), Volatile Organic Compounds (VOCs) (VOC emissions from industrial processes, paints, and other sources contribute to pollution), Natural Sources (Volcanic activity, wildfires, and biogenic emissions release pollutants into the atmosphere), Climate Conditions (Temperature inversions and other meteorological factors can trap pollutants), Vehicle and Industrial Technologies (Outdated technology in vehicles and industries can contribute to higher emissions), Population Density and Urbanization (Urban areas with high population density and industrial activities often experience elevated pollution levels), Geographic Scope (Topography: Mountainous areas, valleys, and wind patterns influence the dispersion and accumulation of pollutants, Meteorological Conditions: Climate zones, wind patterns, and temperature inversions impact pollution levels Proximity to Pollution Sources: Geographic location relative to industrial zones, highways, and pollution sources affects exposure)^{6,7,8,9,10}.

Indoor Air Pollution

Factors that can increase outdoor air pollution, including: Ventilation Rates (Inadequate ventilation in buildings leads to the accumulation of indoor pollutants), Building Design and Construction (Sealing and insulation practices can trap pollutants indoors), Appliance and Fuel Use (Combustion appliances, solid fuel use, and improper venting contribute to indoor pollution), Household Products (VOCs from paints, cleaning agents, and other products contribute to indoor air pollution), Smoking (Tobacco smoke releases harmful chemicals indoors, degrading air quality), Moisture and Mold (Excess moisture and damp conditions can lead to mold growth and indoor air pollution), Pest Control Practices (Indoor pesticide use can release harmful chemicals without proper ventilation), Furniture and Building Materials (Off-gassing from furniture, carpets, and building materials contributes to indoor pollution), Occupant Behavior (Cooking practices, cleaning habits, and other activities can release pollutants indoors), Radon Gas (Radon, a naturally occurring radioactive gas, can enter homes and contribute to indoor air pollution)^{11,12,13}.

Air Pollution and Protective Mechanism of Respiratory System

Air pollution poses a significant global health threat, resulting in millions of annual human deaths. The delayed development of respiratory disorders in adults and children that can be linked to prenatal or perinatal exposure to air pollution is a growing concern in the field of human health. Particularly sensitive to environmental exposure are the stages of pregnancy and fetal development, which may have long-term effects on people in the future^{3,4}.

Air pollution diminishes both quality of life and life expectancy, exacerbating acute and chronic respiratory symptoms in individuals with preexisting airway conditions. Additionally, it raises morbidity rates and heightens the risk of hospitalization for those affected by respiratory diseases^{3,4}.

The air-blood barrier and mucosal cilia are two of the protective mechanisms found in the bronchopulmonary tract; however, the size and chemical makeup of air pollutants determine their capacity to either concentrate in or transit through lung tissues⁴. Because air pollutants are mostly hydrophilic and hydrophobic, they can

either dissolve in bodily fluids or be absorbed by human cells. PM10 (about 10 μm) particulate matter can enter the proximal airways and is primarily removed by mucociliary clearance. While ultrafine particles can travel via the bloodstream to distant organs and tissues, such as the liver for detoxification and placental tissues during pregnancy, PM2.5, a major health risk factor, can enter the lungs more deeply⁴.

The detrimental health effects of air pollutants have been demonstrated in relation to various respiratory diseases, including respiratory infections, asthma, chronic obstructive pulmonary disease (COPD), and lung cancer. Furthermore, these pollutants have been linked to an increased risk of stroke and heart disease when considered in combination, as reviewed⁴.

Mucociliary epithelium lining the upper and lower respiratory tract constitutes the first line of defense of the airway and lungs against inhaled pollutants and pathogens. Mucosal cilia are hair-like structures that line the respiratory tract, including the bronchopulmonary tract, from the nasal passages down to the smaller airways in the lungs. These cilia are specialized projections that extend from the surface of epithelial cells, which are the cells that form the lining of the airways. The coordinated movement of these cilia serves several important functions, including acting as a protective mechanism against various particles and microorganisms, including air pollutants^{5,14,15}.

One crucial role of mucosal cilia is in the clearance of mucus. The respiratory tract is coated with a layer of mucus that functions as a trap for inhaled particles, dust, pathogens, and airborne contaminants, including air pollutants. This mucus contains substances that can immobilize these particles. The coordinated beating of mucosal cilia generates a sweeping motion, propelling the mucus layer upward from the deeper airways toward the throat, a process known as the mucociliary escalator. As the mucus moves along, it carries trapped particles and pollutants, effectively removing these foreign substances from the sensitive airway tissues and directing them toward the throat. The mucus, along with the trapped particles, can then be either swallowed and directed to the stomach (where stomach acid neutralizes pathogens) or expelled through coughing and clearing the throat^{5,14,15}.

Moreover, mucosal cilia also play a pivotal role in preventing the entry of particles and pollutants into the deeper and more sensitive areas of the respiratory system, such as the alveoli where gas exchange takes place. The continuous action of these cilia helps keep contaminants trapped in the mucus layer, continuously moving them upward, thus reducing the risk of these substances causing damage or inflammation deeper within the lungs^{5,14,15}.

Additionally, mucosal cilia contribute to defending against respiratory infections. When harmful microorganisms like bacteria and viruses enter the respiratory tract, the cilia work in concert with the mucus to move them toward the throat, where they can be expelled or swallowed. This action limits the opportunity for these pathogens to establish infections within the lungs^{5,14,15}.

However, prolonged exposure to high levels of air pollutants, especially fine particulate matter (PM2.5) and toxic gases, can lead to impairment of mucosal cilia function. The pollutants can interfere with the cilia's movement, disrupting their ability to effectively clear mucus and particles. This impairment can result in a buildup of pollutants and particles in the airways, making individuals more susceptible to respiratory infections, exacerbating pre-existing respiratory conditions, and increasing overall respiratory discomfort¹⁶.

To support the function of mucosal cilia and their protective role against air pollutants, it's important to maintain good respiratory health. This includes avoiding prolonged exposure to polluted air, staying hydrated, practicing good hygiene, and adopting a healthy lifestyle that includes a balanced diet and regular physical activity^{5,14,15,17,18}.

The air-blood barrier, also known as the respiratory membrane or alveolar-capillary membrane, is a crucial anatomical structure within the bronchopulmonary tract that facilitates the exchange of gases (oxygen and carbon dioxide) between the air in the lungs and the bloodstream. This barrier is primarily located in the alveoli, which are the tiny air sacs within the lungs where gas exchange occurs^{18,19}.

This barrier facilitates the exchange of gases, such as oxygen and carbon dioxide, between the air in the lungs and the bloodstream. It consists of several layers, including Type I Alveolar Cells, which are thin,

flat cells forming the alveolar walls, allowing efficient gas diffusion between the air and the bloodstream. Similarly, Endothelial Cells, which line the walls of the capillaries surrounding the alveoli, are thin to facilitate gas exchange. Between these cell types lies the Basement Membrane, a thin layer of connective tissue providing structural support and cell anchoring^{18,19}.

The role of the air-blood barrier as a protective mechanism against air pollutants is related to its selective permeability. The barrier is designed to allow efficient diffusion of oxygen from the alveolar air into the bloodstream and the simultaneous removal of carbon dioxide from the bloodstream into the alveoli. However, this barrier is not equally permeable to all substances^{18,19}.

Air pollutants, such as fine particulate matter (PM2.5) and certain gases, can be harmful to human health because they can penetrate the air-blood barrier^{8,9,10}. The air-blood barrier is a protective layer that separates the air in the lungs from the blood vessels. It is made up of a fine structure that prevents larger particles, like dust and most pathogens, from entering the bloodstream and causing systemic effects^{3,16,19,20}.

The respiratory system is equipped with immune cells that patrol the alveoli and lung tissues. These cells can engulf and neutralize particles that manage to breach the air-blood barrier, helping to minimize their impact^{3,16,20,21}. If pollutants do manage to cause damage to the air-blood barrier, the body's immune response is triggered, leading to inflammation. This inflammation helps recruit immune cells to the site of damage, clear away debris, and initiate repair processes to restore the integrity of the barrier^{3,16,20,21}.

However, chronic exposure to high levels of pollutants can lead to persistent inflammation and damage to the air-blood barrier, compromising its function. This can result in the direct entry of pollutants into the bloodstream, potentially causing systemic health issues and affecting other organs^{20,21}.

To protect the air-blood barrier from the harmful effects of pollutants, it's essential to maintain good air quality, reduce exposure to pollutants, and support overall lung health through a healthy lifestyle and proper respiratory care^{17,21}.

Effects on Specific Respiratory Conditions

A cornerstone of the research in this domain is the exploration of how air pollution affects specific respiratory conditions.

Asthma

Air pollution can have significant negative effects on individuals with asthma. Asthma is a chronic respiratory condition characterized by inflammation and narrowing of the airways, which can lead to symptoms like wheezing, coughing, chest tightness, and difficulty breathing. Air pollutants that can irritate and inflame an asthmatic's airways include fine particulate matter (PM2.5), ozone (O3), nitrogen dioxide (NO2), and sulfur dioxide (SO2). This inflammation can make asthma symptoms more severe and harder to control^{22,23,24,25,26,27,28}.

Prolonged exposure to air pollution can lead to decreased lung function, which is particularly problematic for people with asthma, as they already have compromised airways. Reduced lung function can result in increased breathlessness and a decreased ability to expel mucus and other irritants from the airways^(22,23,24,25,26,27,28).

Air pollution can trigger asthma attacks or make them more frequent and severe. These attacks can be life-threatening in some cases, especially if not promptly treated^{22,23,24,25, 26,27,28}.

Air pollution can reduce the effectiveness of asthma medications, making it more challenging to control asthma symptoms. People may need higher doses of medications or more frequent use of rescue inhalers when exposed to polluted air^{22,23,24,25,26,27,28}.

Long-term exposure to air pollution has been linked to the development and progression of asthma in children and adults. It can also lead to the development of other respiratory conditions, such as chronic obstructive pulmonary disease (COPD)^{22,23,24,25,26,27,28}.

Poor air quality, especially during periods of high pollution levels, can lead to an increase in hospital admissions for asthma-related issues. This places a significant burden on healthcare systems and can be emotionally distressing for individuals and their families^{22,23,24,25,26,27,28}.

Chronic obstructive pulmonary disease (COPD)

Air pollution can have serious and detrimental effects on individuals with Chronic Obstructive Pulmonary Disease (COPD), a chronic lung condition that includes conditions like chronic bronchitis and emphysema. COPD is characterized by the obstruction of airflow in and out of the lungs, making it difficult to breathe. Air pollutants, especially fine particulate matter (PM_{2.5}), ozone (O₃), nitrogen dioxide (NO₂), and sulfur dioxide (SO₂), can irritate and inflame the airways and lung tissues. This can lead to increased coughing, mucus production, shortness of breath, and wheezing in individuals with COPD^{29,30,31,32,33}.

Exposure to air pollution can trigger exacerbations or acute worsening of COPD symptoms. These exacerbations often result in increased breathlessness and coughing, more severe mucus production, and a higher risk of respiratory infections, which can be life-threatening for COPD patients^{29,30,31,32,33}.

Long-term exposure to air pollution can further reduce lung function in individuals with COPD, making it even harder for them to breathe. This decreased lung function can contribute to a decline in overall health and quality of life^{29,30,31,32,33}.

Poor air quality can lead to an increase in hospital admissions for COPD-related issues, such as exacerbations and respiratory infections. This places a significant burden on healthcare systems and can be emotionally distressing for individuals and their families^{29,30,31,32,33}.

Air pollution can reduce the effectiveness of medications used to manage COPD symptoms. This may require COPD patients to use higher doses of medications or to rely more on rescue medications when exposed to polluted air^{29,30,31,32,33}.

Many individuals with COPD have other health conditions, such as cardiovascular diseases, diabetes, or hypertension. Air pollution can exacerbate these coexisting conditions, leading to a cascade of health problems and complications^{29,30,31,32,33}.

Hampers lung function development in children and perpetuates lung function decline in adults

Beyond these conditions, air pollution

hampers lung function development in children and perpetuates lung function decline in adults, setting the stage for an array of respiratory ailments^{28,34,35,36}.

Air pollution can have significant and lasting effects on lung function in both children and adults. Here's how it can hamper lung function development in children and perpetuate lung function decline in adults^{28,34,35,36}.

Long-term exposure to air pollution, particularly fine particulate matter (PM_{2.5}) and pollutants like nitrogen dioxide (NO₂) and ozone (O₃), can lead to stunted lung growth in children, which means that their lungs may not reach their full potential size and capacity, limiting their ability to breathe efficiently. Air pollutants can impair lung function in children by causing inflammation and damage to lung tissues, resulting in decreased lung function, making it harder for children to breathe and engage in physical activities. Air pollution can weaken the immune system and increase children's susceptibility to respiratory infections, which can further damage lung tissue and hinder lung development^{28,34}.

Long-term exposure to air pollution can accelerate the aging of the lungs in adults, leading to a natural decline in lung function occurring at a faster rate than in individuals with cleaner air exposure. Air pollution is a major risk factor for the development and exacerbation of chronic respiratory conditions in adults, including asthma and Chronic Obstructive Pulmonary Disease (COPD), which often result in a progressive decline in lung function. Prolonged exposure to high levels of air pollution has been linked to premature death, primarily due to respiratory and cardiovascular diseases. This further underscores the long-term consequences of air pollution on lung health. Individuals with compromised lung function due to air pollution may experience reduced quality of life, as they may be more limited in their physical activities and daily functioning. The healthcare costs associated with treating respiratory and cardiovascular diseases related to air pollution are substantial, placing an economic burden on both individuals and healthcare systems^{35,36}.

Respiratory infections

Encompassing bronchitis, pneumonia, and other upper respiratory tract infections, find

fertile ground in air-polluted environments due to compromised immune responses in the respiratory tract^{37,38,39,40,41}.

Air pollution can have a significant impact on respiratory infections, both in terms of increasing the risk of respiratory infections and exacerbating the severity of existing infections^{37,38,39,40,41}.

The immune system's capacity to fend off infections can be weakened by prolonged exposure to air pollutants such as sulfur dioxide (SO₂), nitrogen dioxide (NO₂), ozone (O₃), and fine particulate matter (PM_{2.5}). This weakened immunity makes individuals more susceptible to respiratory infections caused by viruses and bacteria. Air pollutants can irritate and inflame the respiratory tract, making it easier for pathogens like viruses and bacteria to enter and infect the lungs. This can lead to a higher likelihood of developing respiratory infections. Some research suggests that air pollution can enhance the transmission of respiratory viruses, like the flu and the common cold, by promoting the survival and stability of viral particles in the air. This can increase the chances of infection in susceptible individuals^{37,38,39,40,41}.

Exacerbation of Respiratory diseases: People suffering from diseases such as the flu, pneumonia, or bronchitis may have increased coughing, mucus production, chest discomfort, and dyspnea as a result of exposure to air pollution. Respiratory infections can become more severe when individuals are exposed to high levels of air pollution, resulting in more frequent hospitalizations and complications, especially in vulnerable populations like children, the elderly, and individuals with preexisting respiratory conditions. Air pollution can slow down the recovery process from respiratory infections by hindering the body's ability to repair damaged lung tissues and clear mucus and pathogens from the airways. Studies have shown that individuals with respiratory infections who are exposed to high levels of air pollution may face a higher risk of mortality, particularly if they have underlying health conditions^{37,38,39,40,41}.

Lung cancer

Moreover, the link between air pollution and lung cancer underscores the gravity of long-term exposure to certain pollutants.

Air pollution is a significant environmental risk factor for the development and progression of lung cancer. Exposure to various air pollutants has been linked to an increased risk of lung cancer in both smokers and non-smokers. Air pollution contains fine particulate matter (PM_{2.5}) and other airborne particles that can carry carcinogenic compounds, including heavy metals, polycyclic aromatic hydrocarbons (PAHs), and volatile organic compounds (VOCs). These substances can penetrate deep into the respiratory tract and potentially lead to genetic mutations in lung cells, contributing to the initiation of cancer. Air pollution also contains various chemical pollutants, such as benzene, formaldehyde, and acetaldehyde, which are known or suspected carcinogens. Prolonged exposure to these substances can increase the risk of developing lung cancer^{42,43,44,45,46}.

Air pollution, particularly fine particulate matter and ozone, can induce inflammation in the respiratory system. Chronic inflammation may promote cell damage and mutations, which can increase the risk of lung cancer. Air pollutants can also lead to oxidative stress, where there is an imbalance between free radicals and antioxidants in the body. This oxidative stress can damage DNA and cellular structures, potentially contributing to the development of cancerous cells^{42,43,44,45,46}.

Prolonged exposure to air pollutants, especially in heavily polluted areas, can suppress the immune system's ability to detect and eliminate cancerous cells. This weakened immune response may allow cancer cells to proliferate and evade destruction^{42,43,44,45,46}.

Air pollution can promote tumor growth and progression by creating a favorable environment for cancer cells to thrive. It has been linked to the promotion of angiogenesis, the formation of new blood vessels to supply tumors with nutrients and oxygen. This can facilitate the growth and spread of lung cancer. Some research suggests that air pollution may enhance the ability of cancer cells to metastasize or spread to other parts of the body, making lung cancer more aggressive^{42,43,44,45,46}.

Air pollution can have a carcinogenic effect on people, especially children and those with previous respiratory disorders. Pollution exposure throughout childhood can raise the chance of developing lung cancer later in life^{42,43,44,45,46}.

Smoking and exposure to air pollution

have a synergistic effect on lung cancer risk. Smokers who live in areas with high levels of air pollution face a significantly higher risk of developing lung cancer than those in cleaner air environments^{42,43,44,45,46}.

Allergies and sensitization to allergens

Additionally, allergies and sensitization to allergens are exacerbated by air pollution, fueling the prevalence of allergic respiratory diseases like allergic rhinitis^(47,48,49,50,51).

Air pollution can significantly affect allergies and sensitization to allergens in several ways. Air pollution, especially in urban areas, can lead to higher levels of airborne allergens, such as pollen and mold spores. This can increase the exposure of individuals to allergens, which is particularly problematic for people with allergies^{47,48,49,50,51}.

Some studies suggest that air pollutants, such as diesel exhaust particles and ozone, can interact with allergens and make them more potent or allergenic. This means that even a small amount of allergen exposure can trigger a stronger allergic reaction in individuals who are sensitized to these allergens^{47,48,49,50,51}.

Prolonged exposure to air pollution can weaken the immune system, making individuals more susceptible to allergic reactions. Air pollutants can disrupt the balance of immune cells, reducing the body's ability to regulate immune responses effectively^{47,48,49,50,51}.

Air pollution may also contribute to the sensitization of individuals to allergens. Long-term exposure to pollutants can lead to chronic inflammation in the airways and respiratory system. This inflammation can make individuals more susceptible to developing allergies or becoming sensitized to allergens they were previously not allergic^{47,48,49,50,51}.

For people who are already allergic, air pollution can exacerbate their allergic symptoms. Pollutants can irritate the respiratory tract, leading to symptoms like coughing, sneezing, and wheezing, which can be especially problematic for individuals with asthma or allergic rhinitis^{47,48,49,50,51}.

Air pollution is a known trigger for asthma exacerbations. Individuals with asthma may experience more frequent and severe attacks when exposed to high levels of air pollutants. Additionally, pollutants can worsen the inflammation and bronchoconstriction associated with asthma^{47,48,49,50,51}.

Prolonged exposure to air pollution, especially in childhood, has been linked to the development of allergic diseases and conditions, such as allergic rhinitis, asthma, and eczema. It can also lead to a more severe course of these conditions over time^{47,48,49,50,51}.

Climate change, driven in part by air pollution, can affect the distribution and abundance of allergenic plants and species. This can expose individuals to new allergens and extend the duration of allergen seasons, leading to increased sensitization and allergy symptoms^{47,48,49,50,51}.

In summary, air pollution can have a profound impact on allergies and sensitization to allergens by increasing allergen exposure, enhancing allergen potency, weakening the immune response, and exacerbating existing allergic conditions. Efforts to reduce air pollution and improve air quality can help mitigate these adverse effects on allergic individuals and promote better respiratory health^{47,48,49,50,51}.

Vulnerable Populations

The disparate impact of air pollution on vulnerable populations amplifies the urgency of addressing this pervasive issue. Vulnerability to air pollution can affect various groups across different life stages. Here's a summarized overview of key vulnerable groups.

Prenatal Age (Unborn Babies and Pregnant Women). Risk of adverse outcomes such as preterm birth and developmental issues. Protective measures needed to ensure the well-being of both the mother and the developing fetus. Children, still undergoing lung development, are particularly susceptible to long-term lung damage caused by air pollution, respiratory problems, and asthma. Long-term impacts on health, necessitating measures like clean air initiatives and targeted healthcare. The elderly, often burdened with preexisting health conditions, confront exacerbated symptoms and heightened mortality risks when exposed to poor air quality. Individuals with preexisting respiratory conditions face escalated risks of exacerbations and disease progression, further eroding their quality of life^(52,53,54,55). Individuals with Pre-existing Health Conditions. This group is vulnerable against exacerbation of respiratory or cardiovascular diseases. It requires increased vulnerability, emphasizing the importance of managing existing health conditions and reducing

exposure to pollution. Low Socioeconomic Groups. Vulnerability: Higher exposure due to residence in areas with poor air quality, and limited resources for protective measures. Importance: Addressing environmental justice concerns, ensuring equitable access to clean air, and minimizing health disparities. Occupational Groups, Outdoor Workers, and Athletes. Vulnerability: Higher exposure due to the nature of their work or outdoor activities. Importance: Occupational health measures, awareness, and protective equipment may be necessary. Communities Near Pollution Sources. Vulnerability: Proximity to industrial zones, highways, or other sources leads to increased exposure. Importance: Addressing localized pollution sources, implementing regulations, and community engagement are crucial. Immune-compromised Individuals. Weakened immune systems may increase susceptibility to health impacts. Extra precautions and healthcare support are essential for individuals with compromised immunity. Genetic Susceptibility. Genetic factors contribute to individual variability in response to pollutants. Understanding gene-environment interactions for tailored interventions and personalized healthcare^{56,57,58}.

Addressing vulnerability across life stages requires a holistic approach, including policy interventions, community engagement, healthcare access, and awareness programs. Protecting vulnerable groups is essential for promoting environmental justice and ensuring the well-being of diverse populations^{52,53,54,55,56,57,58}.

Mechanisms of Impact

Elucidating the mechanisms through which air pollution wreaks havoc on respiratory health is pivotal for comprehensive understanding. Oxidative stress, arising from an imbalance between reactive oxygen species and antioxidant defenses, serves as a central player in initiating cellular damage and inflammation. Inflammation, a fundamental response to irritants and foreign invaders, becomes dysregulated in the presence of sustained exposure to pollutants, thereby contributing to respiratory symptoms and disease progression. Tissue damage, resulting from a cascade of oxidative stress and inflammation, impairs lung function and elevates susceptibility to infections and diseases^{16, 53, 59}.

Mitigation Strategies

Ameliorating the adverse impact of air pollution on respiratory health necessitates multifaceted strategies. Stringent air quality standards, enforced through regulatory mechanisms, serve as the foundation for cleaner air. Concurrently, reducing emissions from industrial sources and transportation systems curtails the influx of pollutants into the atmosphere. The promotion of cleaner energy sources, such as renewable energy, is pivotal in decreasing the generation of pollutants. Equally important is the role of public awareness campaigns, enlightening individuals about the risks of air pollution and fostering behaviors that minimize exposure^{17, 60,61,62}.

CONCLUSION

The extensive body of research outlined in this review unequivocally substantiates the profound influence of air pollution on respiratory health. The intricate interplay of pollutants like particulate matter, ozone, nitrogen dioxide, sulfur dioxide, and carbon monoxide with the respiratory system manifests in a range of maladies, from aggravated asthma to escalated lung cancer risk. Vulnerable populations bear the brunt of these detrimental effects, emphasizing the need for targeted interventions. The mechanisms underlying these effects—oxidative stress, inflammation, and tissue damage—illuminate the complexity of the interactions between pollutants and respiratory health. As societies grapple with the imperatives of cleaner air and improved public health, the adoption of stringent air quality standards, emission reduction strategies, and informed public engagement emerges as the path forward in mitigating the adverse consequences of air pollution on respiratory well-being. Given the continuous evolution of research in this field, staying abreast of new findings is imperative for refining our understanding and crafting effective interventions.

CONFLICT OF INTEREST

There is no conflict of interest associated with this publication. I want to clarify that for this literature review, there is no specific affiliation for research funding. The review was conducted independently without any external affiliations influencing the content. While I don't have

specific funding sources to disclose, I want to assure the readers that the review was carried out with the utmost impartiality and dedication to presenting an unbiased analysis of the available literature on the topic.

ACKNOWLEDGEMENT

Thank you to the Faculty of Medicine, Universitas Trisakti for the support.

REFERENCES

1. Manisalidis I, Stavropoulou E, Stavropoulos A, Bezirtzoglou E. Environmental and Health Impacts of Air Pollution: A review. *Front Public Health* 2020; 8:14. <https://doi.org/10.3389/fpubh.2020.00014> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7044178/>
2. World Health Organization. Air pollution. 2022. https://www.who.int/health-topics/air-pollution#tab=tab_1
3. Lee YG et al. Effects of Air Pollutants on Airway Diseases. *Int J Environ Res Public Health*. Sep 2021; 18(18): 9905. doi: 10.3390/ijerph18189905 Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8465980/>
4. Kim D, Chen Z, Zhou LF, Huang SX. Air pollutants and early origins of respiratory diseases. *Chronic Dis Transl Med*. Jun 2018; 4(2): 75-94. <https://doi.org/10.1016/j.cdtm.2018.03.003> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6033955/>
5. Cao Y et al. Environmental pollutants damage airway epithelial cell cilia: Implications for the prevention of obstructive lung diseases. *Thorac Cancer*. Mar 2020; 11(3): 505-510. <https://doi.org/10.1111/1759-7714.13323> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7049516/>
6. Wang S, Hua G, Zhou H. What are the Key Factors Affecting Air Pollution?. *Sustainability*. March 2020; 12(6): 2371. <https://doi.org/10.3390/su12062371>. Available from: <https://www.mdpi.com/2071-1050/12/6/2371>
7. United States Environmental Protection Agency. Climate Impacts on Human Health. 2016. <https://climatechange.chicago.gov/climate-impacts/climate-impacts-human-health>
8. United States Environmental Protection Agency. Climate Change Impacts on Air Quality. 2023. <https://www.epa.gov/climateimpacts/climate-change-impacts-air-quality>
9. Lai LW, Lin CY. Influence of the Geographic Channel Effect on PM2.5 Concentration over the Taipei Basin in Relation to Continental High-Pressure System during Winter. *Atmosphere*. 2022;13(10): 1539. <https://doi.org/10.3390/atmos13101539> Available from: <https://www.mdpi.com/2073-4433/13/10/1539>
10. Queensland Government. Influence of meteorology on air quality: Meteorological Factors. 2017. <https://www.qld.gov.au/environment/management/monitoring/air/air-monitoring/meteorology-influence>
11. Mannan M, Al-Ghamdi SG. Indoor Air Quality in Buildings: A Comprehensive Review on the Factors Influencing Air Pollution in Residential and Commercial Structure. *Int. J. Environ. Res. Public Health* 2021; 18(6): 3276; <https://doi.org/10.3390/ijerph18063276>. Available from: <https://www.mdpi.com/1660-4601/18/6/3276>
12. Son YS. A review on indoor and outdoor factors affecting the level of particulate matter in classrooms of elementary schools. *Journal of Building Engineering*. September 2023; Volume

- 75: 106957.
<https://doi.org/10.1016/j.jobe.2023.106957> Available from: <https://www.sciencedirect.com/science/article/abs/pii/S2352710223011361>
13. Holden KA, Lee AR, Hawcutt DB, Sinha IP. The impact of poor housing and indoor air quality on respiratory health in children. *Breathe (Sheff)*. June 2023; 19(2): 230058. doi: 10.1183/20734735.0058-2023. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10461733/>
 14. Yaghi A, Dolovich MB. Airway Epithelial Cell Cilia and Obstructive Lung Disease. *Cells*. 2016; 5(4): 40. <https://doi.org/10.3390/cells5040040>. Available from: <https://www.mdpi.com/2073-4409/5/4/40>
 15. Adivitya et al. Mucociliary Respiratory Epithelium Integrity in Molecular Defense and Susceptibility to Pulmonary Viral Infections. *Biology*. 2021; 10(2):95. <https://doi.org/10.3390/biology10020095>. Available from: <https://pubmed.ncbi.nlm.nih.gov/33572760/>
 16. Thangavel P, Park D, Lee YC. Recent Insights into Particulate Matter (PM_{2.5})-Mediated Toxicity in Humans : An Overview. *Int J Environ Res Public Health*. Jun 2022; 19(12): 7511. <https://doi.org/10.3390/ijerph19127511>. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9223652/>
 17. Carlsten C, Salvi S, Wong GWK, Chung KF. Personal strategies to minimise effects of air pollution on respiratory health: advice for providers, patients and the public. *Eur Respir J*. June 2020; 55(6): 1902056. <https://doi.org/10.1183/13993003.202056-2019> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7270362/>
 18. Knudsen L, Ochs M. The micromechanics of lung alveoli: structure and function of surfactant and tissue components. *Histochem Cell Biol*. December 2018; 150(6): 661-676. <https://doi.org/10.1007/s00418-018-1747-9> Available from: <https://pubmed.ncbi.nlm.nih.gov/30390118/>
 19. Ochs M et al. On the Top of Alveolar Epithelium: Surfactant and the Glycocalyx. *Int. J. Mol. Sci*. April 27, 2020 ; 21(9): 3075. <https://doi.org/10.3390/ijms21093075> Available from: <https://pubmed.ncbi.nlm.nih.gov/32349261/>
 20. Lee PH et al. The Impact of Environmental Pollutants on Barrier Dysfunction in Respiratory Disease. *Allergy Asthma Immunol Res*. November 2021; 13(6): 850-862. <http://dx.doi.org/10.4168/aaair.2021.13.6.850> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8569032/>
 21. Garcia et al. Toxicological Effects of Fine Particulate Matter (PM_{2.5}): Health Risks and Associated Systemic Injuries-Systematic Review. *Water, Air, & Soil Pollution*. May 24, 2023; 234: 346. <https://doi.org/10.1007/s11270-023-06278-9>. Available from: <https://link.springer.com/article/10.1007/s11270-023-06278-9>
 22. Tiotiu AI et al. Impact of Air Pollution on Asthma Outcomes. *Int J Environ Res Public Health*. September 2020; 17(17): 6212. <https://doi.org/10.3390/ijerph17176212> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7503605/>
 23. Meth M, Melegrito RAT. What to know about asthma and air pollution. *Medical News Today*. March 31, 2023. <https://www.medicalnewstoday.com/articles/asthma-and-air-pollution>
 24. Moreno OB et al. Impact of Air Pollution on Asthma: A Scoping Review. *Open Respir Arch*. January 3, 2023;5(2): 100229. <https://doi.org/10.1016/j.opresp.2022.100229>. Available from: <https://www.elsevier.es/en-revista-open-respiratory-archives-11-pdf-S2659663622000753>

25. United States Environmental Protection Agency. The Links Between Air Pollution and Childhood Asthma. October 22, 2018. <https://www.epa.gov/sciencematters/links-between-air-pollution-and-childhood-asthma>
26. Orellano P et al. Effect of outdoor air pollution on asthma exacerbations in children and adults: Systematic review and multilevel meta-analysis. *Plos One*. March 20, 2017. <https://doi.org/10.1371/journal.pone.0174050>. Available from: <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0174050>
27. Evangelopoulos D. Health impact assessment of current and past air pollution on asthma in London. the Environmental Research Group and Small Area Health Statistics Unit, Imperial College London. February 28, 2022. https://www.london.gov.uk/sites/default/files/hia_asthma_air_pollution_in_london.pdf
28. Lee JT. Review of epidemiological studies on air pollution and health effects in children. *Clin Exp Pediatr*. June 10, 2020; 64(1): 3-11. <https://doi.org/10.3345/cep.2019.00843> Available from: <https://www.e-cep.org/journal/view.php?number=20125553659>
29. Duan RR, Hao K, Yang T. Air pollution and chronic obstructive pulmonary disease. *Chronic Dis Transl Med*. December 2020; 6(4): 260-269. <https://doi.org/10.1016%2Fj.cdtm.2020.05.004> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7729117/>
30. Park JY et al. Impact of long-term exposure to ambient air pollution on the incidence of chronic obstructive pulmonary disease: A systematic review and meta-analysis. *Environmental Research*. March, 2021. 194: 110703. <https://doi.org/10.1016/j.envres.2020.110703> Available from: <https://www.sciencedirect.com/science/article/pii/S0013935120316029>
31. Tahery et al. Chronic Obstructive Pulmonary Disease (COPD) and Air Pollution: A Review. *Jundishapur Journal of Chronic Disease Care*. February 7, 2021; 10(1): e110273. <https://doi.org/10.5812/jjcdc.110273> Available from: <https://brieflands.com/articles/jjcdc-110273.html>
32. Wang L, Xie J, Hu Y, Tian Y. Air pollution and risk of chronic obstructed pulmonary disease: The modifying effect of genetic susceptibility and lifestyle. *eBiomed*. May 2022; 79: 103994. DOI:10.1016/j.ebiom.2022.103994 Available from: [https://www.thelancet.com/journals/ebiom/article/PIS2352-3964\(22\)00178-5/fulltext](https://www.thelancet.com/journals/ebiom/article/PIS2352-3964(22)00178-5/fulltext)
33. Xu QJ, Xiao DM, Di F. Air pollution and chronic airway diseases: what should people know and do?. *Journal of Thoracic Disease*, January 30, 2016; 8(1). <https://doi.org/10.3978/j.issn.2072-1439.2015.11.50> Available from: <https://pubmed.ncbi.nlm.nih.gov/26904251/>
34. Garcia E, Rice MB, Gold DR. Air pollution and lung function in children. *J Allergy Clin Immunol*. July 2021; 148(1): 1-14. doi: 10.1016/j.jaci.2021.05.006. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8274324/>
35. Markevych I et al. Residential greenspace and lung function decline over 20 years in a prospective cohort: The ECRHS study. *Environment International*. 2023; 178: 18036. <https://doi.org/10.1016/j.envint.2023.108036> Available from: <https://univ-rennes.hal.science/hal-04165872/document>
36. Kurt OK, Zhang J, Pinkerton KE. Pulmonary Health Effects of Air Pollution. *Curr Opin Pulm Med*. March 2016; 22(2): 138-143. <https://doi.org/10.1097%2FMCMP.0000000000000248> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4776742/pdf/nihms-759816.pdf>
37. Burhan E, Mukminin U. A systematic review of respiratory infection due to air pollution during natural disasters.

- Medical Journal of Indonesia. March 2020; 29(1). <https://doi.org/10.13181/mji.oa.204390> Available from: <https://mji.ui.ac.id/journal/index.php/mji/article/view/4390/1725>
38. Raju S, Siddharthan T, McCormack MC. Indoor Air Pollution and Respiratory Health. *Clin Chest Med*. December 2020; 41(4): 825-843. <https://doi.org/10.1016/j.ccm.2020.08.014> Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7665158/>
39. Wibowo A, Saputro TT. Air Pollution-Induced Acute Respiratory Infection. *JK Unila*. October 2022; 6(1): 11-15. <https://doi.org/10.23960/jkunila6111-15> Available from: <https://juke.kedokteran.unila.ac.id/index.php/JK/article/view/3014/2923>
40. Domingo JL, Rovira J. Effects of air pollutants on the transmission and severity of respiratory viral infections. *Environmental Research*. August 2022; 187: 109650. <https://doi.org/10.1016/j.envres.2020.109650> Available from: <https://www.sciencedirect.com/science/article/pii/S0013935120305430>
41. Aithal SS, Sachdeva I, Kurmi OP. Air quality and respiratory health in children. *Breathe*. 2023; 19: 230040. <https://doi.org/10.1183/20734735.0040-2023> Available from: <https://breathe.ersjournals.com/content/19/2/230040>
42. Hill W et al. Lung adenocarcinoma promotion by air pollutants. *Nature*. April 5, 2023; 616: 159-167. doi: 10.1038/s41586-023-05874-3. Available from: <https://pubmed.ncbi.nlm.nih.gov/37020004/>
43. Swanton C et al. LBA1 - Mechanism of action and an actionable inflammatory axis for air pollution induced non-small cell lung cancer: Towards molecular cancer prevention. *Annals of Oncology*. 2022; 33(7): S808-S869. <https://oncolynpro.esmo.org/meeting-resources/esmo-congress/mechanism-of-action-and-an-actionable-inflammatory-axis-for-air-pollution-induced-non-small-cell-lung-cancer-towards-molecular-cancer-prevention>
44. Liu X et al. Lung Cancer Death Attributable to Long-Term Ambient Particulate Matter (PM_{2.5}) Exposure in East Asian Countries During 1990–2019. *Front. Med*; October 15, 2021; Volume 8. <https://doi.org/10.3389/fmed.2021.742076>. Available from: <https://www.frontiersin.org/articles/10.3389/fmed.2021.742076/full>
45. Lim JU, Yoon HK. Narrative review: association between lung cancer development and ambient particulate matter in never-smokers. *Journal of Thoracic Disease* February 28, 2022; 14(2). <https://doi.org/10.21037/jtd-21-655>. Available from: <https://pubmed.ncbi.nlm.nih.gov/35280473/>
46. Khan S et al. Lung cancer in never smokers (LCINS): development of a UK national research strategy. *BJC Reports* 1, July 20, 2023. Article number: 1 (2023). <http://dx.doi.org/10.1038/s44276-023-00006-w>. Available from: <https://www.nature.com/articles/s44276-023-00006-w>
47. Yang SI. Particulate matter and childhood allergic diseases. *Korean Journal of Pediatrics* 2019;62(1):22-29. <https://doi.org/10.3345/kjp.2018.07045>. Available from: <https://www.ecep.org/journal/view.php?number=20125553496>
48. Melen E et al. Air pollution and IgE sensitization in 4 European birth cohorts—the MeDALL project. *Environmental and Occupational Disease*. February 2021; 147(2): 713-722. <https://doi.org/10.1016/j.jaci.2020.08.030>. Available from: [https://www.jacionline.org/article/S0091-6749\(20\)31241-0/fulltext](https://www.jacionline.org/article/S0091-6749(20)31241-0/fulltext)
49. Selzie et al. Air Pollution and Climate Change Effects on Allergies in the

- Anthropocene: Abundance, Interaction, and Modification of Allergens and Adjuvants. *Environ Sci Technol*. March 22, 2017; 51(8): 4119-4141. <https://doi.org/10.1021/%2Facs.est.6b04908>. Available from: <https://pubs.acs.org/doi/10.1021/acs.est.6b04908>
50. Heinrich J. Air pollutants and primary allergy prevention. *Allergo J Int*. October 10, 2018; 28: 5-15. <https://doi.org/10.1007/s40629-018-0078-7>. Available from: <https://link.springer.com/article/10.1007/s40629-018-0078-7>
 51. Bowatte G. The influence of childhood traffic-related air pollution exposure on asthma, allergy and sensitization: a systematic review and a meta-analysis of birth cohort studies. *Allergy*. March 2015; 70(3): 245-256. <https://doi.org/10.1111/all.12561>. Available from: <https://online.library.wiley.com/doi/10.1111/all.12561>
 52. Kim YB et al. Ambient air pollution and movement behaviours: A scoping review. *Health and Place*. November 2021; Volume 72: 102676. <https://doi.org/10.1016/j.healthplace.2021.102676>. Available from: <https://www.sciencedirect.com/science/article/abs/pii/S1353829221001726>
 53. Dondi et al. Outdoor Air Pollution and Childhood Respiratory Disease: The Role of Oxidative Stress. *Int J Mol Sci*. March 2023; 24(5): 4345. doi: 10.3390/ijms24054345. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10001616/>
 54. Wang Y, Huang Y, Li C. The Effects of Air Pollutants on Mortality in the Elderly at Different Ages: A Case of the Prefecture with Most Serious Aging in China. *Sustainability*. November 2023; 15(22): 15821. <https://doi.org/10.3390/su152215821>. Available from: <https://www.mdpi.com/2071-1050/15/22/15821>
 55. Clarke et al. Prenatal Exposure to Ambient PM2.5 and Early Childhood Growth Impairment Risk in East Africa. *Toxics*. November 2022; 10: 705. <https://doi.org/10.3390/toxics10110705>. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9699051/pdf/toxics-10-00705.pdf>
 56. Hooper LG, Kaufman JD. Ambient Air Pollution and Clinical Implications for Susceptible Populations. *Ann Am Thorac Soc*. April 2018; 15(2): S64-S68. <https://doi.org/10.1513/annalsats.201707-574mg>. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5955035/>
 57. United States Environmental Protection Agency. Which Populations Experience Greater Risks of Adverse Health Effects Resulting from Wildfire Smoke Exposure? February 2024. <https://www.epa.gov/wild-fire-smoke-course/which-populations-experience-greater-risks-adverse-health-effects-resulting>
 58. February 2024. <https://www.epa.gov/wild-fire-smoke-course/which-populations-experience-greater-risks-adverse-health-effects-resulting>
 59. Xiang K et al. Association between ambient air pollution and tuberculosis risk: A systematic review and meta-analysis. *Chemosphere*. August 2021; Vol 277: 130342. <https://doi.org/10.1016/j.chemosphere.2021.130342>. Available from: <https://www.sciencedirect.com/science/article/abs/pii/S0045653521008122>
 60. World Health Organization. Ambient (outdoor) air pollution. December 19, 2022. [https://www.who.int/news-room/fact-sheets/detail/ambient-\(outdoor\)-air-quality-and-health](https://www.who.int/news-room/fact-sheets/detail/ambient-(outdoor)-air-quality-and-health)
 61. Laumbach R, Meng Q, Kipen H. What can individuals do to reduce personal health risks from air pollution?. *Journal of Thoracic Disease*. January 26, 2015; Volume 7(1). <https://doi.org/10.3978%2Fj.issn.2072-1439.2014.12.21>. Available from: <https://jtd.amegroups.org/article/view/3709/html>

62. Bradley N. Review of interventions to improve outdoor air quality and public health. Public Health England. London. March 2019. Available from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/938623/Review_of_interventions_to_improve_air_quality_March-2019-2018572.pdf